

04/30/98
JC58
U
PTO

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

2

Patent Application Transmittal

Assistant Commissioner for Patents
Washington, D.C. 20231

IBM DOCKET NO. YO998-137

IBM Corporation
Intellectual Property Law Department
P.O. Box 218
Yorktown Heights, New York 10598

Sir:

Date: April 30, 1998

Transmitted herewith for filing is the **Patent Application** of:

Inventor(s): A. Dan et al

For: System and Method for Programmatic Generation of Continuous Media Presentations

Enclosed are:

- ☒ Sixteen (16) sheets of drawings. (INFORMAL)
- ☒ An assignment of the invention to International Business Machines Corporation, Armonk, New York 10504.
- ☐ A certified copy of a _____ application.
- ☒ Declaration and Power of Attorney
- ☐ Information Disclosure Statement with copies of cited references.
- ☐ Associate Power of Attorney

The filing fee has been calculated as shown below:

	(Col. 1)	(Col. 2)
For:	No. Filed	No. Extra
Basic Fee		
Total Claims	22 - 20 =	2
Indep. Claims	4 - 3 =	1
<input checked="" type="checkbox"/> Multiple Dependent Claim Presented		

Other Than Small Entity	
Rate	Fee
	\$ 790.00
x \$22.00=	\$ 44.00
x \$82.00=	\$ 82.00
\$270.00	\$ 270.00
TOTAL	\$ 1186.00

- ☒ Please charge Deposit Account No. 09-0468 in the amount of \$1186.00. A duplicate copy of this sheet is enclosed.
- ☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 09-0468. A duplicate copy of this sheet is enclosed.
- ☒ Any additional filing fees required under 37 C.F.R. §1.1
- ☒ Any patent application processing fees under 37 C.F.R. §1.17

Respectfully submitted,

BY:

Attorney David M. Shofi

Registration No.: 39,835 Tel.: (914)945-3247

"EXPRESS MAIL" LABEL NO. EM526133507
DATE OF DEPOSIT: April 30, 1998

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: A. Dan et al

Serial No.:

Group No.

Filed: Herewith

Examiner:

For: SYSTEM AND METHOD FOR PROGRAMMATIC GENERATION OF CONTINUOUS
MEDIA PRESENTATIONS

Commissioner of Patents and Trademarks
Washington, D.C. 20231

EXPRESS MAIL CERTIFICATE

Express Mail Label Number EM526133507

Date of Deposit April 30, 1998

I hereby certify that the attached paper or fee

Patent Application Transmittal Letter (original and one copy)

Patent Application

Declaration and Power of Attorney

Informal Drawings (16 Sheets)

Recordation Form Cover Sheet

Assignment to IBM

Return Postcard

is being deposited with the United States Postal Service pExpress Mail Post Office to
Addressee service under 37 CFR 1.10 on the date indicated above and is addressed to
the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Barbara Rasa

(Name)

Signature

Note: Each paper must have its own certificate and the pExpress Mail label number as a part thereof or attached thereto. When, as here, the certification is presented on a separate sheet, that sheet must (1) be signed and (2) fully identify and be securely attached to the paper or fee it accompanies. Identification should include the serial number and filing date of the application as well as the type of paper being filed, e.g. complete application, specification and drawings, responses to rejection or refusal, notice of appeal, etc. If the serial number of the application is not known, the identification should include at least the name of the inventor(s) and the title of the invention.

Note: The label number need not be placed on each page. It should, however, be placed on the first page of each separate document, such as, a new application, amendment, assignment, and transmittal letter for a fee, along with the certificate of mailing by pExpress Mail. Although the label number may be on checks, such a practice is not required. In order not to deface formal drawings it is suggested that the label number be placed on the back of each formal drawing or the drawings be accompanied by a set of informal drawings on which the label number is placed.

Docket No. YO998-137

SYSTEM AND METHOD FOR PROGRAMMATIC GENERATION OF CONTINUOUS MEDIA PRESENTATIONS

FIELD OF THE INVENTION

This invention relates to the field of composition and presentation of multimedia. More specifically, the invention relates to the programmatic generation of multimedia presentation sequences.

BACKGROUND OF THE INVENTION

5 A block diagram of a conventional distributed multimedia presentation environment is shown in Fig. 1. A multimedia system in such an environment can produce a composed multimedia document (not shown) which is displayed on a presentation device 11, such as a television or computer monitor. First, various presentation documents 16, 17 are pre-composed by authors. This task of generating the presentation documents is called authoring. 10 Many different types of documents can be authored, e.g., composition of video presentation 16 or composition of Web pages 17. Once these documents are prepared, they are stored in various data storage devices 14, 15 such as hard disks, digital video disks or storage devices of a satellite broadcasting company. Upon a user's request for presentation of a document, the presentation 15 documents are delivered through the network 13 to the presentation device 11 for presentation. This is referred to as the "pull" mode. The presentation can also be sent by the storage devices 14, 15 pro-actively (e.g., by the broadcasting companies) to users without any explicit request via the network 13 or otherwise. This is referred to as the "push" mode.

Therefore, conventionally, multimedia presentation materials are generated before the presentation, i.e., at an authoring time. Once generated, presentation is accomplished exactly as the presentation materials are pre-composed. The user's capability to interact with the presentation is limited through interaction with the control panels 12 on the presentation device

11. Typical examples of the possible interactions provided by these control panels 12 include selection of different materials (channels or URLs), fast forward, fast reverse, pause, etc.

However, in prior art systems, no dynamic changes to the presentation materials are supported.

A somewhat enhanced interaction capability is provided by the 3D object model.

A pre-specified interaction semantic is built into the object. For example, PanoramIX, an image-based rendering software from IBM (www.software.ibm.com/net.media), uses environment maps (e.g., cylinders with tops/bottoms or polyhedral approximations of spheres) to render the background from a fixed viewpoint that does not translate. It supports smooth rotation and continuous zoom of the view. PanoramIX also allows pre-composition of a complex scene with embedded sprites, audio segments, video clips and 3D objects. It uses a control file that is pre-defined during scene authoring, using a special authoring tool.

Another example of a prior art system that uses pre-composed complex scenes is contained in the specifications of the MPEG-4 standard. MPEG-4 employs a BIFS (Binary Information for Scenes) composite file that describes a scene hierarchy, along the lines of VRML (Virtual Reality Modelling Language) scene graphs. Leaf nodes of the graph are AVOs (Audio-Visual Objects) that could be a video or audio or a 3D object or any other component media type. In fact, PanoramIX may be viewed as one instance of the MPEG-4 specification.

While they do provide some added interaction capability, these systems still fall short of providing the full ability to dynamically alter presentations after authoring.

SUMMARY OF THE INVENTION

The present invention provides a method by which a user can programmatically compose presentation materials which have been authored. First, users compose different presentations by applying dynamic synchronization, placement and selection of media stream segments under the control of a program. In contrast to pre-composed presentations where the selection of media segments and the synchronization and placement of those media segments are predetermined (e.g., MPEG-2 video), in the present invention, the selection, synchronization (for example, the determination of starting times for each media segment and delay insertion) and placements (in the display window) are controlled dynamically through the composition program. Second, the composition programs themselves are rule-based and event-driven, and therefore can be dynamically altered. Third, the program that controls composition may be downloaded or pre-resident at the presentation site. Additionally, various commands (understood by this program) may also be streamed to the program via separate logical channel(s). Finally, the composition can be accomplished both at the client site or at the server site based on user interactions at the client as well as network and server load.

Specifically, a method of dynamically generating a presentation sequence from a plurality of authored presentation documents is provided including the steps of receiving the plurality of authored presentation documents from a plurality of data sources, applying the

plurality of authored presentation documents to a set of presentation rules, and generating the presentation sequence in response to the applying step.

Preferably, the applying step includes the steps of testing for satisfied rule conditions and applying the plurality of authored presentation documents to a set of presentation rules in response to the satisfied rule conditions. In addition, it is preferable that the method include the step of receiving user input and wherein the generating step includes the step of generating the presentation sequence in response to the received user input. The method preferably includes the further step of modifying the set of presentation rules in response to the received user input.

The method can further include the step of sensing an external event, wherein the generating step includes the step of generating the presentation sequence in response to the sensed external event. Additionally, the method can further include the step of modifying the set of presentation rules in response to the sensed external even or in response to the received presentation documents.

The method can further include the steps of receiving meta data from the data sources and modifying the set of presentation rules in response to the received meta data.

The authored presentation documents are preferably authored presentation sequences and the generated presentation sequence is preferably a composite presentation sequence.

A method for programmatic generation of continuous multimedia presentations by a station capable of receiving at least one presentation and sensed events is also provided

including the steps of maintaining a library of rules, receiving at least one presentation; selecting at least one event to be sensed; receiving the event, testing each rule in the library for each received event; and optionally applying each rule to the presentation for each received event in response to the testing step to modify the presentation or to generate a new presentation.

5 A method for dynamically composing a presentation from a plurality of multimedia components is also provided including the steps of selecting one or more of the multimedia components to be identified as an initial portion of the presentation; programmatically selecting one or more other multimedia components to be identified as a subsequent portion of the presentation; disposing the subsequent portion with or following the initial portion; and
10 synchronizing the selected components to form the presentation.

 Preferably, this method further includes the step of presenting the presentation. The multimedia components can be continuous media components or non-continuous media components. They can also be audio or video components or text or image components.

 It is preferable that the programmatically selecting step is responsive to input
15 parameters, a past presentation history or a current state and to line content or meta-data.

 A program storage device, readable by a machine, tangibly embodying a program of instructions executable by the machine to perform method steps for dynamically generating a presentation sequence according to the above-referenced method steps is also provided.

 A programmatic presentation generator into which presentation documents are
20 received is provided, including a rule base; a program state; and a computation engine, wherein the engine receives rule data from the rule base and state data from the program state and

generates a presentation sequence responsive to the presentation documents, the rule data and state data.

5 A set top box for receiving channels and sending presentation sequences to a digital television is also provided, including the programmatic presentation generator of the present invention.

Finally, a television set for receiving channels and generating presentation sequences is provided including the programmatic presentation generator of the present invention.

BRIEF DESCRIPTION OF THE DRAWINGS

10 Further objects, features and advantages of the present invention will become apparent from a consideration of the following detailed description of the invention when read in conjunction with the drawing figures, in which:

Fig. 1 is a block diagram of a conventional distributed multimedia presentation environment;

15 Fig. 1A is a block diagram of a presentation environment incorporating the programmatic presentation generator of the present invention;

Fig. 1B is a block diagram which shows one embodiment of the programmatic presentation generator of Fig. 1A incorporated as part of a set-top box;

Fig. 1C is a block diagram showing an Intelligent TV Guide example of using the programmatic presentation generator of the present invention;

20 Fig. 1D is a block diagram showing an intelligent slide show example of using the

programmatic presentation generator of the present invention;

Fig. 2 is a block diagram of the presentation environment of Fig. 1A showing the framework of the programmatic presentation generator according to the present invention;

5 Fig. 3 is a block diagram of a rule of the programmatic presentation generator framework of the present invention;

Fig. 4 is a flowchart of the process to generate a presentation sequence according to the present invention;

Fig. 5 is a block diagram of a conventional presentation sequence;

Fig. 6 is a block diagram of a conventional static object;

10 Fig. 7 is a block diagram of a composite presentation sequence of the present invention;

Fig. 8 and Fig. 8A are block diagrams showing the operations to define and change the temporal properties of a presentation sequence according to the present invention; and

15 Fig. 9, Fig. 9A and Fig. 9B are block diagrams for the operations to define and change the temporal properties of a composite presentation sequence using multiple presentation sequences according to the present invention.

DETAILED DESCRIPTION OF THE INVENTION

20 Figure 1A is a block diagram of a distributed multimedia presentation environment utilizing the programmatic presentation generator of the present invention. In Fig. 1A, a presentation device 1A1, such as a TV or computer monitor, presents a presentation sequence

1A5 generated by the programmatic presentation generator 1A4. This programmatic presentation generator 1A4 can generate the presentation sequences using the data pushed from data source 1A3 or it can pull the data from the data source 1A2 when required. These data sources can include a hard disk, digital video disk, satellite or TV broadcasting company. The programmatic presentation generator 1A4 according to the present invention permits a presentation sequence, such as TV programs, MPEG sequences, etc., to be dynamically generated or, once generated, to be dynamically modified reflecting user input, presentation rules and external events.

This programmatic presentation generator 1A4 could be incorporated on different software components. For example, it can be incorporated as part of the set-top box environment or executed as part of the server software.

Fig. 1B shows the block diagram of a programmatic presentation generator 1B5 used in a set-top box 1B2. A television 1B1 receives the presentation sequences from a set-top box 1B2. Alternately, one skilled in the art can appreciate that the programmatic presentation generator can be located in the television 1B1 itself, assuming the functionality of the set-top box 1B2 is incorporated therein. In prior art systems, users could only select a channel of interest out of the multiple incoming channels 1B4. However, by placing the programmatic presentation generator 1B5 in a set-top box 1B2 (or in a television), users can dynamically modify or compose a presentation sequence using the multiple incoming channels 1B4. The components of a programmatic presentation generator 1B5 (i.e, rule base, engine, program state) are described hereinbelow.

Fig. 1C is a block diagram which shows an Intelligent TV Guide as an example

using the programmatic presentation generator of the present invention. Multiple channels 1C1 are connected to a TV 1C3. Through certain channels 1C2, additional meta (command) data can also be transmitted. Using the programmatic presentation generator of the present invention, a user can watch the programs in which he is most interested. This selection could be specified using rule-based programs as described hereinbelow. This program could use simple keyword matching, similar to that used in an internet search engine, over the meta data. For example, a program could be added to the rule-base (described hereinbelow) so that automatic selection of the contents is executed every 30 minutes. As an example, the rules can be specified in the following way: First, repeated selection of the same content should be avoided. Second, violent programs may not be selected. Also, if a new interesting program shows up on the display and if it is within the threshold of preference (i.e., evaluated via a user-defined function as sufficiently interesting), the next two best programs are shown in the top corner windows 1C4, 1C5 for 2 minutes. This functionality significantly assists a user with the task of choosing a program to view.

Fig. 1D is a block diagram which shows an Intelligent Slide Show as another example of an application of the programmatic presentation generator of the present invention. The composed, original slide show 1D1 consists of 4 slides (1D21 through 1D24). Two of the slides (1D21 and 1D23) include URLs. The slide show 1D1 was designed to be played back in the regular playback order shown in 1D2, i.e., in the order of 1D21, 1D22, 1D23 and 1D24. A different slide show can be generated using the programmatic presentation generator of the present invention as shown in 1D3. The new (extended playback) slide show 1D3 has been

generated by extending 1D1. In the slide show 1D3, the contents of the URLs included in the original slides (1D21 and 1D23) are retrieved and included as parts of the slides. The inclusion of the pages referenced by the URLs can be accomplished in various ways. For example, the slide 1D21 was extended such that the referenced URL page 1D312 is included as a part of the same slide as page 1D311 as shown in 1D31. In contrast, the referenced URL page on slide 1D23 is included as a separate slide 1D34.

Fig. 2 is a diagram which shows a more detailed view of the programmatic presentation generator according to the present invention along with a distributed multimedia presentation environment. Data sources 21, 22, 23, 24 and network 25 are the same as those in Fig. 1. The framework 26 of the programmatic presentation generator is composed of a rule-base 261, a presentation state 262 and a computation engine 263.

The rule-base 261 is composed of a set of rules to be described hereinbelow. The rule-base 261 can be modified (i.e., adding, deleting or modifying one or more rules) in several ways. First, modification can occur by local user input. Second, one or more existing rules can implicitly modify the rule-base. Finally, data contained in the presentation sequence(s) received from the data source(s) or meta data received from the data source(s) in a separate logical channel (whether initiated by a user pull command or by a data source push command) can alter the rule-base.

The presentation state 262 consists of a presentation history and a set of state variables. The presentation history includes the history of such information as presentation contents, user interactions and external events up to a certain point in time. A state variable is a

program-defined variable which serves to mark and represent the status of a presentation so that it can be referred within a program (rules).

The computation engine 263 includes computational logic which monitors the presentation state 262, interprets the rule base 261 and sensed external events, and modifies the presentation sequence, thereby generating a new presentation sequence 264 and a resulting presentation 27. The sensed external events can include input timing parameters and user inputs. Upon each sensed external event, the engine 263 serializes the rules in the rule-base 261, and applies each rule to the current presentation sequence. That is, given a rule-base $RB = \{R_1, R_2, \dots, R_n\}$, where R_i is a rule, and the current presentation sequence P , the engine generates the new presentation sequence P_n as follows:

$$P \xRightarrow{R_1} P_1 \xRightarrow{R_2} P_2 \xRightarrow{R_3} P_3 \xRightarrow{R_n} P_n$$

where P_i is the presentation sequence generated from the presentation sequence P_{i-1} by applying rule R_i .

Fig. 3 shows a block diagram of a rule within the framework of the programmatic presentation generator of the present invention. A rule is a pair of TEST 31 and ACTION 32. TEST 31 specifies the condition 311 to be met for the ACTION to be fired. It can be any predicate over the presentation states such as "if at time t_i , a specific image has been presented."

ACTION 32 is a sequence of operations on a presentation sequence to generate a new presentation. These operations can be realized by any code segments using any programming language such as C, PASCAL, JAVA, etc. The operations in an ACTION are preferably composed of four parts 321, 322, 323, 324. The first code segment 321 is to specify the selection

of different content data to be included in the presentation. The second is the code segment 322 which specifies different temporal orders of presentation. This code segment uses the operations which will be described in Figs. 8, 8A, 9, 9A and 9B. The third code segment 323 is to specify the different spatial layouts among different presentation content data. Lastly, there can be code segments 324 for changing presentation attributes, e.g., quality, color, etc. In addition, code segments to change the presentation states 325 (e.g., by utilizing state variables) can be interleaved with the above-mentioned operations. Here, annotations in the input presentation can be monitored and state variables can be adjusted accordingly.

In the application of a rule $R_i = \langle \text{TEST}, \text{ACTION} \rangle$ to a presentation sequence P , first, it is tested if the condition TEST is met and if so, the code segment ACTION is applied to the presentation sequence P . More mathematically, when the condition TEST is satisfied (is TRUE), an ACTION can be specified as $P_{\text{old}} == \text{ACTION} ==> P_{\text{new}}$ where P_{old} is the current presentation sequence and P_{new} is the new presentation sequence.

Fig. 4 is a flowchart illustrating a preferred method for the computation engine 263 to generate a new presentation sequence upon detection of an event. In the diagram, the current presentation is represented by P , the rule-base by $\{R_1, R_2, \dots, R_n\}$, each rule in the rule-base by R_i , the number of rules in the rule-base by n , and the new presentation generated at each computation step by P_{new} . In step 41, a new event is sensed and the number of rules, n , in the rule base is received. Next, the engine initializes the index variable i to 0 and initializes the new presentation sequence P_{new} to the current presentation sequence P in step 42. Then, in step 43, the index variable i is increased by 1. In step 44, the index variable i is compared to the number of

rules, i.e., n , in the rule-base. If the index variable is greater than the number of rules, the current P_{new} is output as a new current presentation by setting $P = P_{new}$. Otherwise, in step 45, the i th rule, R_i is selected and is tested. If the TEST of R_i is not TRUE, the method proceeds in step 43. Otherwise, if the test of R_i is TRUE, in step 46, the ACTION of R_i is applied to P_{new} to update P_{new} . Then, the method continues with step 43.

Fig. 5 shows a block diagram of a presentation sequence D. The presentation sequence D is composed from a sequence of static objects 51, 52, 53, 54. . . , etc. and then by assigning the relative time t_k to each static object 51, 52, 53, 54 . . . , etc. in the presentation sequence. A static object is a presentation object without any temporal property. Examples of the static objects include an image, text, a video frame, etc.

Fig. 6 shows a block diagram of a composite static object. A composite static object is composed by spatially relating multiple composite objects 61 and 62 on a screen. The description of the spatial relation can be accomplished by using techniques known in the prior art. One such technique can be found in IBM Research Report, Hyperstory, M. Kim and J. Song, 1995.

Fig. 7 shows a block diagram of a composite presentation sequence. A composite presentation sequence consists of two or more presentation sequences. The composite presentation sequence in Fig. 7 consists of three presentation sequences D1, D2 and D3.

The operation to create a presentation sequence can be represented by Create, i.e.,

$$\text{Create} (< (s_1, t_1), (s_2, t_2), \dots, (s_n, t_n) >).$$

Given a sequence of static objects, s_1, s_2, \dots, s_n , a presentation sequence $< (s_1, t_1), (s_2, t_2), \dots, (s_n,$

$t_n) >$ is created in which static object s_i is displayed during virtual time interval (t_i, t_{i+1}) . For example, in Fig. 5, the static object 51 is shown during the virtual time interval (t_1, t_2) , and static object 52 is shown during virtual time interval (t_2, t_3) , etc.

A presentation sequence can also be generated from one or more existing presentation sequences using temporal operators. A set of temporal operations for the description of temporal property can also be found in "Composition and Search with Video Algebra" by Ron Weiss, Andrej Duda and David K. Gifford in IEEE Multimedia, 1995.

Fig. 8 and Fig. 8A illustrate different operations on a presentation sequence according to the present invention. The intra-sequence operations include:

Head (D,i) 81: Given a presentation sequence $D = \langle (s_1, t_1), (s_2, t_2), \dots, (s_n, t_n) \rangle$, a subsequence ending at the i th object is selected as a new presentation sequence. That is, $D_{\text{new}} = \langle (s_1, t_1), (s_2, t_2), \dots, (s_i, t_i) \rangle$.

Tail (D,i) 82: Given a presentation sequence $D = \langle (s_1, t_1), (s_2, t_2), \dots, (s_n, t_n) \rangle$, a subsequence starting from the i th object is selected as a new presentation sequence. That is, $D_{\text{new}} = \langle (s_i, t_i), (s_{i+1}, t_{i+1}), \dots, (s_n, t_n) \rangle$.

Delay (D,t) 83: Given a presentation sequence $D = \langle (s_1, t_1), (s_2, t_2), \dots, (s_n, t_n) \rangle$, a new presentation sequence D_{new} is created in which the virtual display times are delayed by t virtual time units. That is, $D_{\text{new}} = \langle (s_1, t_1 + t), (s_2, t_2 + t), \dots, (s_n, t_n + t) \rangle$.

Stretch (D,r) 84: Given a presentation sequence $D = \langle (s_1, t_1), (s_2, t_2), \dots, (s_n, t_n) \rangle$, a new presentation sequence D_{new} is created in which the starting times t_i of static object s_i is scaled to $t_i \times r$, i.e., $D_{\text{new}} = \langle (s_1, t_1 \times r), (s_2, t_2 \times r), \dots, (s_n, t_n \times r) \rangle$.

Repeat (D, i, j, r) 85: Given a presentation sequence D , a new presentation sequence is created in which the subsequence from s_i to s_j is repeated r times.

A composite presentation sequence also can be generated by temporally relating multiple presentation sequences (i.e., via inter-sequence operations) according to the present invention. Fig. 9, Fig. 9A, and Fig. 9B show the block diagrams for such inter-sequence temporal operations. They include:

Meet (D_1, D_2) 91: Given two presentation sequences D_1 and D_2 , a new presentation sequence D_{new} is created in which the starting time of D_2 is the same as the ending time of D_1 .

Co-Start (D_1, D_2) 92: Given two presentation sequence D_1 and D_2 , a new presentation sequence D_{new} is created in which the starting time of D_1 and D_2 are the same.

Co-End (D_1, D_2) 93: Given two presentation sequences D_1 and D_2 , a new presentation sequence D_{new} is created in which the ending time of D_1 and D_2 are the same.

Interleave (D_1, D_2, d) 96: Given two presentation sequences, D_1 and D_2 , a new presentation sequence is created in which the two sequences are interleaved. Here the parameter d represents the delay in the new presentation sequence of the start time of D_2 relative to the start time of the presentation sequence D_1 .

Given a presentation sequence, a presentation is constructed by associating a start time and a play rate. More mathematically, $P = \langle D, t_s, r \rangle$ is a presentation where the presentation sequence D is started at real time S with play rate r . Here the start time t_s and the play rate r are used to map virtual times to real times. For example, virtual time t_i is mapped to real time

$$t_s + t_i \times r.$$

Thus, an important feature of the framework of a programmatic generation of a presentation according to the present invention is that the rule-base can be dynamically changed by inserting/deleting/modifying rules and the changes can be dynamically reflected in the generation of a presentation with the engine.

The framework of the programmatic generation of the presentation sequence according to the present invention can be made in either the multimedia server or in the client presentation system or both.

Now that the invention has been described by way of a preferred embodiment, various modifications and improvements will occur to those of skill in the art. Thus, it should be understood that the preferred embodiment is provided as an example and not as a limitation. The scope of the invention is defined by the appended claims.

WE CLAIM:

1. A method of dynamically generating a presentation sequence from a plurality of authored presentation documents comprising the steps of:

receiving the plurality of authored presentation documents from a plurality of data sources;

applying the plurality of authored presentation documents to a set of presentation rules; and

generating the presentation sequence in response to the applying step.

2. The method of claim 1 wherein the applying step comprises the steps of:

testing for satisfied rule conditions; and

applying the plurality of authored presentation documents to a set of presentation rules in response to the satisfied rule conditions.

3. The method of claim 2 further comprising the step of receiving user input and wherein the generating step comprises the step of generating the presentation sequence in response to the received user input.

4. The method of claim 3 further comprising the step of modifying the set of presentation rules in response to the received user input.

1 5. The method of claim 2 further comprising the step of sensing an external event and
2 wherein the generating step comprises the step of generating the presentation sequence in
3 response to the sensed external event.

1 6. The method of claim 5 further comprising the step of modifying the set of presentation
2 rules in response to the sensed external event.

1 7. The method of claim 1 further comprising the step of modifying the set of presentation
2 rules in response to the received presentation documents.

1 8. The method of claim 1 further comprising the steps of:
2 receiving meta data from the plurality of data sources; and
3 modifying the set of presentation rules in response to the received meta data.

1 9. The method of claim 1 wherein the authored presentation documents are authored
2 presentation sequences and the generated presentation sequence is a composite presentation
3 sequence.

1 10. A method for programmatic generation of continuous multimedia presentations by a
2 station capable of receiving at least one presentation and a plurality of sensed events, the method
3 comprising the steps of:

4 maintaining a library of rules;
5 receiving at least one presentation;
6 selecting at least one event to be sensed;
7 receiving the at least one event;
8 testing each rule in the library for each received event; and
9 optionally applying each rule to the at least one presentation for each received event in
10 response to the testing step to modify the at least one presentation or to generate a new
11 presentation.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223

2 components.

1 14. The method of claim 13 wherein the multimedia components are audio or video
2 components.

1 15. The method of claim 11 wherein the multimedia components are non-continuous media
2 components.

1 16. The method of claim 15 wherein the multimedia components are text or image
2 components.

1 17. The method of claim 11 wherein the programmatically selecting step is responsive to input
2 parameters, a past presentation history or a current state.

1 18. The method of claim 17 wherein the programmatically selecting step is responsive to line
2 content or meta-data.

1 19. A program storage device, readable by a machine, tangibly embodying a program of
2 instructions executable by the machine to perform method steps for dynamically generating a
3 presentation sequence according to the method steps of claims 1-18.

1 20. A programmatic presentation generator into which presentation documents are received,
2 comprising:

3 a rule base;

4 a program state; and

5 a computation engine;

6 wherein the engine receives rule data from the rule base and state data from the program
7 state and generates a presentation sequence responsive to the presentation documents, the rule
8 data and state data.

9
10
11 21. A set top box for receiving channels and sending presentation sequences to a digital
12 television, comprising the programmatic presentation generator of claim 20.

13
14 22. A television set for receiving channels and generating presentation sequences, comprising
15 the programmatic presentation generator of claim 20.

ABSTRACT OF THE DISCLOSURE

A method of dynamically generating a presentation sequence from a plurality of authored presentation documents includes the steps of receiving the plurality of authored presentation documents from a plurality of data sources; applying the plurality of authored presentation documents to a set of presentation rules; and generating the presentation sequence in response to the applying step.

5

500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000




FIG. 1D




FIG. 1C




FIG. 1B




FIG. 1A

FIG. 1A




FIG. 1

(PRIOR ART)




FIG. 2

FIG. 2 is a block diagram of a system architecture. The system includes a network (25) connected to a framework (26) and a presentation (27). The framework (26) contains a rule base (261), a state (262), and an engine (263). The presentation (27) displays data from the framework (26). The network (25) is also connected to data sources (21-24).




FIG. 3




FIG. 4

FIG. 4 is a flowchart of the process for handling new events.




FIG. 5

FIG. 5 is a diagram illustrating a sequence of frames, labeled 51, 52, 53, 54, and a final frame. Each frame contains a pattern of black and white squares. The frames are arranged horizontally, with labels 51, 52, 53, and 54 positioned above them. Below the frames, a series of time points $t_1, t_2, t_3, t_k, t_{n-1}, t_n$ are indicated, corresponding to the frames. The patterns of black and white squares change across the frames, suggesting a sequence of events or states over time.







FIG. 6




D :



Head (D,i):⁸¹



Tail (D,i):⁸²



Delay (D,t):⁸³




FIG. 8




FIG. 8A





FIG. 9

Co-start(D_1, D_2): 92



Co-end(D_1, D_2): 93




FIG. 9A




FIG. 9B

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

SYSTEM AND METHOD FOR PROGRAMMATIC GENERATION OF CONTINUOUS MEDIA PRESENTATIONS
the specification of which (check one)

X is attached hereto.

_____ was filed on _____ as United States Application Number

or PCT International Application Number _____

and was amended on _____ (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application, having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)	Priority Claimed
(Number) _____ (Country) _____ (Day/Month/Year Filed) _____	Yes _____ No _____
(Number) _____ (Country) _____ (Day/Month/Year Filed) _____	Yes _____ No _____
(Number) _____ (Country) _____ (Day/Month/Year Filed) _____	Yes _____ No _____

I hereby claim the benefit under 35 U.S.C. §119(e) of any United States provisional application(s) listed below.

(Application Number) _____	(Filing Date) _____
(Application Number) _____	(Filing Date) _____

I hereby claim the benefit under 35 U.S.C. §120 of any United States Application(s), or §365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States, or PCT International application in the manner provided by the first paragraph of 35 U.S.C. §112, I acknowledge the duty to disclose information material to the patentability of this application as defined in 37 CFR §1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial No.) _____	(Filing Date) _____	(Status) (patented, pending, abandoned) _____
(Application Serial No.) _____	(Filing Date) _____	(Status) (patented, pending, abandoned) _____

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith (list name and registration number).

Manny W. Schecter (Reg. 31,722), Terry J. Ilardi (Reg. 29,936), Christopher A. Hughes (Reg. 26,914), Edward A. Pennington (Reg. 32,588), John E. Hoel (Reg. 26,279), Joseph C. Redmond, Jr. (Reg. 18,753), and David M. Shofi (Reg. 39,835)

Send Correspondence to: David M. Shofi, Intellectual Property Law

IBM Corporation, P.O. Box 218, Yorktown Heights, New York 10598

Direct Telephone Calls to: (name and telephone number) David M. Shofi (914) 945-3247

Asit Dan

Full name of sole or first inventor

Asit Dan
Inventor's Signature

4/30/98
Date

75 Ginsborg Avenue, West Harrison, New York 10604
Residence

India
Citizenship

same as above
Post Office Address

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATIONJai Prakash MenonFull name of second joint-inventor, if anyInventor's signature30 APRIL 1998
Date55 Campus Road, Peekskill, New York 10566
ResidenceIndia
Citizenshipsame as above
Post Office AddressJunehwa SongFull name of third joint inventor, if anyInventor's Signature30 April 1998
Date200 Diplomat Drive, Apt. 5F, Mt. Kisco, New York 10549
ResidenceKorea
Citizenshipsame as above
Post Office AddressFull name of fourth joint-inventor, if anyInventor's signature

Date

ResidenceCitizenshipPost Office AddressFull name of fifth joint inventor, if anyInventor's Signature

Date

ResidenceCitizenshipPost Office AddressFull name of sixth joint-inventor, if anyInventor's signature

Date

ResidenceCitizenshipPost Office AddressFull name of seventh joint-inventor, if anyInventor's signature

Date

ResidenceCitizenship